

TPT Severe Issues

Introduction

=====

The following document contains a list of known severe issues of TPT. By severe issues we mean issues/bugs in particular versions of TPT that:

1. might cause malfunctions in the behavior of TPT
2. are hard or even impossible to find by the TPT user herself/himself
3. cause the risk that bugs/defects in a SUT (system under test) are not detected by TPT in cases where TPT would have been able to reveal these bugs/defects in the SUT without the aforementioned malfunction in the behavior of TPT.

Usually these severe issues address the situations where the problem might appear and have well-defined workarounds.

ISSUE # 26884

=====

TITLE:

Local search and replace in step lists always replaced all occurrences in table steps at once and so may replace entries unnoticeably the user did not intend to change.

ISSUE DETECTION:

15-Jul-19

AFFECTED VERSIONS OF TPT:

TPT 12 - TPT 13

PRECONDITIONS:

A step list including a table step with multiple occurrences of a search term and trying to replace one of these.

DETAILS:

If a search term occurs multiple times in a table step trying to replace one of them using the search dialog always replaces all occurrences in the table step. Generally, the issue affects all tables embedded in other tables but the table step is the only one where this condition applies.

EFFECT OF THE ISSUE:

Due the unexpected behavior of search and replace more changes than intended may be done to table steps leading to unintended TPT model behavior.

WORKAROUND:

Using global search and replace to replace occurrences of a search term in table steps. Changes done by local search and replace affecting table steps have to be reviewed carefully.

RESOLVED IN:

TPT12u3, TPT13u2

ISSUE # 26796

=====

TITLE:

If explicit array-of-struct values are being used in TPT models (e.g. "mychannel := [{2,3},{4,param+5}]") these expressions can compute wrong values at runtime if the array-of-struct expression refers to non-constant channels or parameters.

ISSUE DETECTION:

01-Jul-19

AFFECTED VERSIONS OF TPT:

TPT 12 - TPT 13

PRECONDITIONS:

TPT computes wrong values at runtime under the following conditions: an explicit array-of-struct value is assigned to a channel or parameter (e.g. in a step list) AND the array-of-struct value itself depends on channels/parameters AND these channels/parameters are not constant (at runtime) AND these channels/parameters have values that differ from their default values (as specified in the declaration editor).

DETAILS:

In the special case of explicit array-of-struct expressions (e.g. "mychannel := [{2,3},{4,param+5}]") any reference to channels/parameters inside this expression will not be computed dynamically (at runtime), but computed just once when initializing the expression (before runtime). Therefore, if the value of channels/parameters that are referred inside this expression changes at runtime, the array-of-struct expression will not update its value. The fix now explicitly prohibits the usage of (a) references to all channels (b) references to all parameters that are modified dynamically in the test model inside any explicit array-of-struct expression. Otherwise the TPT compiler will raise a compile error.

EFFECT OF THE ISSUE:

In the special case of explicit array-of-struct expressions (e.g. "mychannel := [{2,3},{4,param+5}]") with references to non-constant channels or parameters, the value of the array-of-struct expression gets stuck with its initial value for all points in time even if the referred channels/parameters change. After the fix related to this issue, those expressions are denied by the compiler.

WORKAROUND:

Instead of assigning the whole array-of-struct use individual assignments for non-constant elements.

RESOLVED IN:

TPT12u3, TPT13u2

ISSUE # 29261

=====

TITLE:

When executing tests using the FUSION platform, the mechanism "Read parameters from FUSION only once (before first test case)" does not ensure that the first test case has completed the parameter exchange before the following test cases use the parameters.

ISSUE DETECTION:

4-September-2020

AFFECTED VERSIONS OF TPT:

TPT 12, TPT 13, TPT 14, and TPT 15

PRECONDITIONS:

The checkbox "Read parameters from FUSION only once (before first test case)" must be selected in the FUSION platform and the number of cores in the Execution Configuration dialog must be greater than 1.

DETAILS:

When running tests in multicore mode using the FUSION platform and the option "Read parameters from FUSION only once (before first test case)" is selected, the test cases are executed immediately without waiting until the parameters have been exchanged.

EFFECT OF THE ISSUE:

For tests executed in parallel (i.e. all but the first test case), not the parameter values determined during a parameter exchange are used, but the default values from the Declaration Editor (nondeterministic behavior).

WORKAROUND:

Deselect the "Read parameters from FUSION only once (before first test case)" checkbox in the FUSION platform configuration, or do not run tests in multicore mode.

RESOLVED IN:

TPT14u3, TPT15u2