

TPT Severe Issues

Introduction

=====

The following document contains a list of known severe issues of TPT. By severe issues we mean issues/bugs in particular versions of TPT that:

1. might cause malfunctions in the behavior of TPT
2. are hard or even impossible to find by the TPT user herself/himself
3. cause the risk that bugs/defects in a SUT (system under test) are not detected by TPT in cases where TPT would have been able to reveal these bugs/defects in the SUT without the aforementioned malfunction in the behavior of TPT.

Usually these severe issues address the situations where the problem might appear and have well-defined workarounds.

ISSUE # 30102

=====

TITLE:

When comparing INT64 signals using Min/Max or Signal Comparison assesslet with values larger than 2^{53} or smaller than -2^{53} , the computation can incorrectly compare the signal with the reference(s) which might lead to PASSED results even if the specified bounds are exceeded.

ISSUE DETECTION:

11-January-2021

AFFECTED VERSIONS OF TPT:

TPT 8 - TPT 16

PRECONDITIONS:

The Min/Max or Signal Comparison assesslet is used with INT64 signals with values larger than 2^{53} or smaller than -2^{53} .

DETAILS:

If signal or reference values are larger than 2^{53} or smaller than -2^{53} , the difference can be missed because the values are converted and compared as double values. (Since values larger/smaller than $2^{53}/-2^{53}$ cannot be converted to double without losing precision, floating point precision problems might occur in such cases.)

EFFECT OF THE ISSUE:

Values outside of the specified bounds might be overlooked by TPT leading to PASSED results, but should be FAILED.

WORKAROUND:

Avoid using INT64 signals in Min/Max or Signal Comparison assesslets if the values are larger than 2^{53} or smaller than -2^{53} .

RESOLVED IN:

TPT 15u4, TPT 16u1

ISSUE # 30063

=====

TITLE:

When iterating in assessment scripts via an inlined loop and applying signal processing functions like `TPT.average()`, `TPT.min()`,

... with changing argument in each loop, the result of the first iteration is incorrectly used for the following iterations.

ISSUE DETECTION:
16-December-2020

AFFECTED VERSIONS OF TPT:
TPT 8 - TPT 16

PRECONDITIONS:
The usage of the signal processing function must be applied on an expression or a signal that is being changed while iterating through an inlined loop or list comprehension.

DETAILS:
For faster computation of timed expressions of the form
foo(t) := TPT.average(...)
results of signal processing functions are being cached.
The cached result is invalidated as soon as a new line is reached.
When iterating through an inlined loop, the same expression is evaluated multiple times.
If during this inlined iteration a variable of the expression is changed, the cached result of the signal processing function is used instead of a newly calculated.

Affected are inlined expressions of the form
for x in range(n): print TPT.min(...+x)
while x < n: x=x+1;print TPT.min(...+x)
as well as list comprehension:
my_list = [TPT.min(...+x) for x in range(n)].

EFFECT OF THE ISSUE:
Old cached values are used instead of recalculating the value in every iteration, which results in wrong computation results.

WORKAROUND:
Avoid using inlined loops or list comprehensions and use loops with indentation in multiple code lines instead.

RESOLVED IN:
TPT 15u4 TPT 16u1

ISSUE # 29261
=====

TITLE:
When executing tests using the FUSION platform, the mechanism "Read parameters from FUSION only once (before first test case)" does not ensure that the first test case has completed the parameter exchange before the following test cases use the parameters.

ISSUE DETECTION:
4-September-2020
AFFECTED VERSIONS OF TPT:
TPT 12, TPT 13, TPT 14, and TPT 15

PRECONDITIONS:
The checkbox "Read parameters from FUSION only once (before first test case)" must be selected in the FUSION platform and

the number of cores in the Execution Configuration dialog must be greater than 1.

DETAILS:

When running tests in multicore mode using the FUSION platform and the option "Read parameters from FUSION only once (before first test case)" is selected, the test cases are executed immediately without waiting until the parameters have been exchanged.

EFFECT OF THE ISSUE:

For tests executed in parallel (i.e. all but the first test case), not the parameter values determined during a parameter exchange are used, but the default values from the Declaration Editor (nondeterministic behavior).

WORKAROUND:

Deselect the "Read parameters from FUSION only once (before first test case)" checkbox in the FUSION platform configuration, or do not run tests in multicore mode.

RESOLVED IN:

TPT14u3, TPT15u2